SAFETY DATA SHEET

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH)

EAGLEFELT TRIM ADHESIVE SPRAY 500 ml

Product number: EAGLESP110
Document ID: SDS-EAGLESP110-EN
Version: 5.0 (English translation)
Date: August 2026

Eaglefelt
Hopeatie 1, 33470 Ylöjärvi, Finland
+358 50 2960 | info@eaglefelt.com | www.eaglefelt.com

TABLE OF CONTENTS

1. Identification of the substance/mixture and of the company/undertaking
2. Hazards identification
3. Composition/information on ingredients
4. First aid measures
5. Firefighting measures
6. Accidental release measures
7. Handling and storage
8. Exposure controls/personal protection
9. Physical and chemical properties
10. Stability and reactivity
11. Toxicological information
12. Ecological information
13. Disposal considerations
14. Transport information
15. Regulatory information
16. Other information

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Information	Content
Product name	EAGLEFELT TRIM ADHESIVE SPRAY 500 ml
Product number	EAGLESP110
Product type	Aerosol spray adhesive

1.2 Relevant identified uses and uses advised against

Identified use: spray adhesive.

1.3 Details of the supplier of the safety data sheet

Eaglefelt
Hopeatie 1
33470 Ylöjärvi
Finland
Telephone: +358 50 2960
Email: info@eaglefelt.com
Website: www.eaglefelt.com

1.4 Emergency telephone number

General emergency number: 112
Poison Information Centre (24 h): 0800 147 111 / 09 471 977

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Transport hazard class	Classification
Physical hazards	Aerosol 1 - H222; H229
Health hazards	Carc. 2 - H351; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; STOT SE 3 - H336
Environment	Not classified

2.2 Label elements

Contains: DICHLOROMETHANE





Signal word: DANGER

- H222 Extremely flammable aerosol.
- H351 Suspected of causing cancer.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H229 Pressurised container: May burst if heated.
- H336 May cause drowsiness or dizziness.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water and soap.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

- P501 Dispose of contents/container in accordance with local regulations.

2.3 Other hazards

Pressurised container. Protect from sunlight and temperatures above 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or incandescent material. No smoking.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Ingredient	CAS	EG	Concentration	CLP-klassificering
Liquefied petroleum gases	68476-85-7	270-704-2	30-50 %	Flam. Gas 1 - H220
Dichloromethane	75-09-2	200-838-9	30-60 %	Carc. 2 - H351; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; STOT SE 3 - H336

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General

Immediately remove the exposed person to fresh air. Seek medical attention if symptoms persist.

Inhalation

Remove the person to fresh air. If breathing is difficult, trained personnel may administer oxygen. Keep the person warm and at rest. Seek medical attention.

Ingestion

Do not induce vomiting. Seek immediate medical attention. Never give anything by mouth to an unconscious person.

Skin contact

Wash skin with plenty of water and soap. Remove contaminated clothing. Seek medical attention if irritation persists.

Eye contact

Immediately rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing and seek medical attention if irritation persists.

4.2 Most important symptoms and effects, both acute and delayed

See Sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: foam, carbon dioxide (CO2) and dry powder.

5.2 Special hazards arising from the substance or mixture

Aerosol containers may explode in a fire. Carbon monoxide and carbon dioxide may be formed in a fire.

5.3 Advice for firefighters

Wear self-contained breathing apparatus and suitable protective clothing. Cool heat-exposed containers with water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes and inhalation of vapours. Ensure good ventilation and use the personal protective equipment described in Section 8.

6.2 Environmental precautions

Prevent entry into drains, waterways and soil.

6.3 Methods and material for containment and cleaning up

Absorb spillage with vermiculite, dry sand, earth or another suitable absorbent material. Collect in sealable, labelled containers.

6.4 Reference to other sections

Personal protective equipment: Section 8. Disposal considerations: Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, sparks, open flames and other ignition sources. Avoid contact with skin and eyes and inhalation of vapours. Ensure effective ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in the original container in a dry, well-ventilated place. Protect from sunlight. Do not expose to temperatures above 50 °C.

7.3 Specific end use

Spray adhesive.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Substance	8 h TWA	15 min STEL	Note in original SDS
Dichloromethane	100 ppm (Sk); 353 mg/m³ (Sk)	200 ppm (Sk); 706 mg/m³ (Sk)	Ireland: TWA 50 ppm / 174 mg/m³; STEL 150 ppm / 552 mg/m³
Liquefied petroleum gases	1000 ppm (Sk); 1750 mg/m³ (Sk)	1250 ppm (Sk); 2180 mg/m³ (Sk)	Ireland: TWA 500 ppm / 625 mg/m³; STEL 625 ppm / 1090 mg/m³

DNEL - workers (values from the original SDS)

Exposure	Route	Value
Short-term/systemic effects	Inhalation	706 mg/kg bw/d
Long-term/systemic effects	Dermal	4750 mg/m³
Long-term/systemic effects	Inhalation	353 mg/m³

DNEL - consumers (values from the original SDS)

Exposure	Route	Value
Short-term/systemic effects	Inhalation	353 mg/m³
Long-term/systemic effects	Dermal	2395 mg/kg bw/d
Long-term/systemic effects	Oral	0,06 mg/kg bw/d
Long-term/systemic effects	Inhalation	88,3 /m³

PNEC (values from the original SDS)

Environment	PNEC
Fresh water	0,54 mg/l
Fresh water - intermittent release	4,47 mg/l
Marine water	0,194 mg/l
Marine sediment	1,61 mg/l
Soil	0,583 mg/kg dry weight

8.2 Exposure controls

- Provide effective general ventilation and local exhaust ventilation where necessary.
- Eye protection: splash-proof safety goggles, EN 166.
- Hand protection: chemical-resistant nitrile rubber gloves.
- Skin protection: chemical-protective work clothing.
- Respiratory protection: use approved respiratory protection if ventilation is inadequate.
- Hygiene: do not eat, drink or smoke while working. Wash hands before breaks and at the end of the work shift.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Information
Physical state	Liquid (aerosol)
Appearance	Aerosol container
Colour	Amber/clear

Property	Information
Odour	Chlorinated hydrocarbon
Boiling point	Not applicable (aerosol)
Flash point	Not applicable (aerosol)
Relative density	approx. 1.2 (adhesive component)
Other information	No information available unless otherwise stated above

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards are known under normal conditions of use.

10.2 Chemical stability

Stable under recommended conditions of use and storage.

10.3 Possibility of hazardous reactions

No hazardous reactions are known under normal conditions of use.

10.4 Conditions to avoid

Heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Strong acids, strong oxidising agents and strong bases.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide, phosgene and hydrogen chloride may be formed in a fire or under intense heating.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes

Route of exposure/test	Dichloromethane
LD50 oral (rat)	> 2000 mg/kg
LD50 dermal (rat)	> 2000 mg/kg
LC50 inhalation (mouse, 4 h)	86 mg/l (vapour)

Skin corrosion/irritation
May cause skin irritation. Prolonged or repeated contact may dry the skin.

Serious eye damage/eye irritation
May cause serious eye irritation.

Respiratory or skin sensitisation
No sensitising effects have been observed in animal studies.

Germ cell mutagenicity
Laboratory studies have produced positive results in some cell tests; corresponding effects have not been observed in animal studies.

Carcinogenicity
Dichloromethane: Carc. 2 - H351, suspected of causing cancer.

Reproductive toxicity
No information available.

STOT - single exposure
Vapours may cause drowsiness, dizziness and central nervous system depression.

Aspiration hazard
Not classified as an aspiration hazard.

11.2 Information on other hazards

Prolonged or intense exposure may affect the central nervous system, liver, kidneys and cardiovascular system. Dichloromethane is partly metabolised to carbon monoxide in the body.

SECTION 12: ECOLOGICAL INFORMATION

Test	Result
LC50 fish (96 h)	193 mg/l
EC50 Daphnia magna (48 h)	27 mg/l
EC50 activated sludge (40 min)	2590 mg/l
Biodegradability (OECD 301D)	68 % / 28 days
BCF	2-5,4; 6-40

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

According to the original safety data sheet, the product does not contain PBT or vPvB substances at concentrations above 0.1%.

12.6 Endocrine-disrupting properties

According to the original safety data sheet, no endocrine-disrupting ingredients have been identified at regulated concentrations.

12.7 Other adverse effects

No other known adverse environmental effects. Prevent entry into drains, waterways and soil.

SECTION 13: AVFALLSHANTERING

13.1 Waste treatment methods

Dispose of the product and packaging in accordance with applicable national and local regulations. Empty aerosol containers may contain pressurised gas. Do not pierce or burn the container, even when empty.

SECTION 14: TRANSPORT INFORMATION

Information	ADR/RID/ADN	IMDG	IATA
UN number	UN 1950	UN 1950	UN 1950
Proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS, FLAMMABLE
Transport hazard class	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable

14.5 Environmental hazards

Not classified as hazardous to the marine environment.

14.6 Special precautions for user

Mode of transport	Informationer
ADR	Classification code 5F; transport category 2; tunnel restriction code D; LQ 1 L; packing instruction P207
IMDG	EmS F-D / S-U; packing instruction P207
IATA	Packing instruction 203; passenger aircraft 75 kg; cargo aircraft 150 kg

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling are based on Regulation (EC) No 1272/2008 (CLP). The structure of the safety data sheet is based on Regulation (EC) No 1907/2006 (REACH).

15.2 Chemical safety assessment

No separate chemical safety assessment has been carried out for this mixture.

SECTION 16: OTHER INFORMATION

Code	Hazard statement
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.

Abbreviations

ADR - carriage of dangerous goods by road; RID - rail transport; ADN - inland waterway transport; IMDG - maritime transport; IATA - air transport; DNEL - derived no-effect level; PNEC - predicted no-effect concentration; PBT - persistent, bioaccumulative and toxic; vPvB - very persistent and very bioaccumulative; LD50 - lethal dose 50 %; LC50 - lethal concentration 50 %; STOT - specific target organ toxicity.

Information source and version control

This English version is based on the manufacturer’s original English safety data sheet (Revision 5.0). The product identifier and supplier contact details have been adapted for Eaglefelt’s use. The chemical data have deliberately been retained in accordance with the original source document; any inconsistencies in units or content in the source document have not been independently corrected in this version.